



# BRAVO I® FS

Designed for outboard and sterndrive applications, the Mercury Racing Bravo I FS propeller delivers unmatched time-to-plane performance, mid-range punch, mid-range cruise and top-end speeds for outboard bass, flats, cat flats, bay boats, offshore center consoles and sterndrive deck and vee bottoms under medium to heavy load. We've added four new models ranging from 34-inch to 37-inch in pitch designed specifically for 300R outboards with the right-hand rotation - 1.75:1 gear ratio Sport Master gearcase.

The Mercury® patented Performance Vent System® (PVS) enables operators to dial-in their propeller for peak planing performance. The PVS® system works in concert with robust blades that are hand blended and balanced by our propeller lab artisans. The tuned exhaust tube minimizes stern lift for enhanced bow lift, handling and overall boat performance.

Four-stroke outboard and sterndrive applications will use the Bravo I FS with all four vent holes plugged with solid PVS fittings. Larger, heavier multiple engine applications may benefit by taking one or two fittings out for improved planing.

To maintain similar engine operating rpm in single engine applications, switching from a Tempest® Plus to the Bravo I FS would require a 1" increase in pitch. A switch from the Fury® and Revolution 4° to the Bravo I FS would require a 2" increase in pitch.

PITCH	RIGHT-HAND	LEFT-HAND
20"	8M0090451	8M0090453
20.5"	8M0118469	
21"	8M0090455	8M0090457
21.5"	8M0118471	
22"	8M0064450	8M0071088
22.5"	8M0128332	
23"	8M0064468	8M0071089
23.5"	8M0152624	
24"	8M0064469	8M0071090
24.5"	8M0128333	
25"	8M0064470	8M0071091
25.5"	8M0129397	
26"	8M0064471	8M0071092
26.5"	8M0128334	
27"	8M0064472	8M0071093
28"	8M0064473	8M0071094
28.5"	8M0129335	
29"	8M0064475	8M0071095
30"	8M0064476	8M0071096
31"	8M0064477	8M0071097
32"	8M0104417	8M0104418
33"	8M0104419	8M0104420
<b>NEW!</b> 34"	8M0157785	
<b>NEW!</b> 35"	8M0157786	
<b>NEW!</b> 36"	8M0157787	
<b>NEW!</b> 37"	8M0157788	

All models are 15.25-inches in diameter.